

PRODUCT CATALOG

JACKSON






TABLE OF CONTENTS

Model 186 Chain Vise Stand 1/8" to 6" Capacity	03
Model 436 V-Head Pipe Stand.....	04
V-Head Pipe Stand Options — complete units	05
Optional Heads for Model 436 Pipe Stand.....	06
Model 440DL Deluxe 4 Leg V-Head Pipe Stand	07
Model 636 Jumbo Jack™ Pipe Stand	08
Model 301 – 302 – 303 Tri-Clamp™ Pipe Alignment Tool	09
Model 5090 Mobile Container Cart.....	10
Model 276 Security Cart.....	11
Model 458 Pipe Wagon	12
Model 2508 Yard Dog™ Pipe Hauler	13
Model 5050H and Model 5050HL Pipe Hanger Cart.....	14
Model 5400 Wire Cage	15
Model 5472 Harness Cage	16
Model 224W Rolling Threader Stand with tray.....	17
Model 235W Rolling Threader Stand with storage box.....	17
Model 142 JP Jaws for PVC coated conduit.....	18
Comparison Reference	19

JACKSON

Model 186 Chain Vise Stand

- **Heavy duty jaws** provide strong grip and long life
- Collapsible tool tray **provides stability when open** and folds up for ease of transport
- **Large head unit** that will handle up to 6" diameter pipe and includes ceiling brace screw
- Slots cast into head unit to **hang tools during use**
- Jaws for PVC coated conduit available (optional)
- **Comes completely assembled** and ready for use
- **Powder coated**
- **Made in the USA**



* See Page 166 for JP Jaw Set for use with Ridgid® 40A Tri-Stand Yoke Vise



Scan Here For Manual

Item #	Description	Weight	UPC#
186	Chain Vise Stand - 1/8" to 6" Diameter Pipe	48 lbs.	811993024580

*RIDGID® is a registered trademark of Emerson Electric, Inc.

JACKSON TOOL, INC. • SALES@CURRENTTOOLS.COM
800-230-5421 OR 864.721.4236 • WWW.JACKSONTOOLINC.COM

- 1/2"-12" diameter pipe capacity
- 2,500 lb. working load capacity per stand
- Quick height adjustment tube
- Height adjustment nut for **fine tuning height**
- **Sight hole** to help avoid over extension of height adjustment tube
- **Safety feature** allows V-Head to be secured for transport
- **Powder coated**
- **Made in the USA**



Scan Here For Manual

Item #	Description	Weight	UPC#
436	V-Head Pipe Stand Load – 2,500 lbs. 1/2"-12" Pipe diameter	21 lbs.	811993025327



1436BT — Steel

1436BTS — Stainless Steel



1438 — Steel

1438BTS — Stainless Steel



1437



1439




1436V

Pipe Stand Model Number and Description
Including Accessory Heads




COMPLETE STANDS	
Part #	Description
436	Base with standard V-Head
1436BT	Base with steel roller ball transfer head
1436BTS	Base with stainless steel roller ball transfer head
1438	Base with steel wheel head
1438SS	Base with stainless steel wheel head
1437	Base with plastic wheel head
1439	Base with bar stock head
1436V	Base with stainless steel V-head sleeve attachment

Optional Heads for Model 436 Pipe Stands




436BT — Steel
436BTS — Stainless Steel
BALL TRANSFER HEAD ATTACHMENT SET

Capacity: 1,000 lbs/set
3/8" to 12" diameter pipe or tube




438 — Steel
438SS — Stainless STEEL WHEEL HEAD

Capacity: 2,000 lbs
1½" to 12" diameter pipe on inside roller setting
12" to 24" diameter pipe on outside roller setting




437 — PLASTIC WHEEL HEAD

Capacity: 1,000 lbs
1½" to 12" diameter pipe on
inside roller setting
12" to 24" on outside roller setting



439 — BAR STOCK HEAD

Capacity: 2,000 lbs.
1/8" to 10" wide flats, bars
and beams



**436V — STAINLESS
STEEL V-HEAD SLEEVE
ATTACHMENT**

Capacity: 2,500 lbs
1/2"-12" diameter pipe



Scan Here For
Manual

Catalog Number	Description	UPC#
436BT	Ball transfer head attachment set — steel Capacity 1,000 lbs/set	811993026300
436BTS	Ball transfer head attachment set — stainless steel Capacity 1,000 lbs/set	811993026317
438	Wheel head — steel — Capacity 2,000 lbs	811993026324
438SS	Wheel head — stainless steel — Capacity 2,000 lbs	811993026171
437	Wheel head — plastic — Capacity 1,000 lbs	811993026331
439	Bar stock head – Capacity 2,000 lbs	811993026348
436V	V-Head sleeve attachment — stainless steel 2,500 lbs	811993026355

Model 440DL Deluxe 4 Leg V-Head Pipe Stand

- 4 leg base for **added stability**
- V-Head assembly secured to **quick height adjustment** tube to help prevent pinch points
- Height adjustment tube has 5" clearance when fully lowered to **help avoid pinch points**
- **1/2"-12"** diameter pipe capacity
- **3,500 lb. working load capacity** per stand
- **Permanently secured** lock ring
- **Sight hole** to help prevent over extension of height adjustment tube
- **Safety feature** allows V-Head to be secured for transport
- **Powder coated finish**
- **Made in the USA**



Scan Here For
Manual

Catalog Number	Description	Weight	UPC#
440DL	Deluxe 4 Leg V-Head Pipe Stand Load — 3500 lbs. 1/2"-12" pipe diameter	22 lbs.	UPC# 811993027130



Model 636 Jumbo Jack™ Pipe Stand

- Holds **4" to 36"** Diameter Pipe
- **2,500 lb. capacity** per stand
- **5 heavy duty swivel casters** with locking brake
- **Optional Hold Down Device** to secure pipe to stand
- **Extra wide rollers on V-Head** provide additional stability
- **Powder coated**
- **Made in the USA**



Optional Hold Down Device
Part #636-851




Scan Here For
Manual

Catalog Number	Description	Weight	UPC#
636	Jumbo Jack™ Pipe Stand Load – 2,500 lbs. 4"-36" Pipe diameter	130 lbs.	811993024566
636NC	Jumbo Jack Pipe Stand —No Casters Load – 2,500 lbs. 4"-36" Pipe diameter	90 lbs.	811993026706
636-851	Hold Down Device (optional) Up to 36" Pipe	5 lbs.	811993024993



Model 301, 302, 303 Tri-Clamp™ Pipe Alignment Tool

- **Three size ranges** covering 1" through 12" diameters
- **Durable steel frame** is ideal for job site use as well as shop use
- Strong and lightweight for **increased productivity and long tool life**
- **Versatile tool** can be used for multiple fit-ups, including Pipe to Pipe, Pipe to Fitting, Pipe to Flange and Pipe to Tee
- **Powder coated**
- **Made in the USA**



Scan Here For
Manual

Catalog Number	Description	Weight	UPC#
301	Tri-clamp, small 1" to 2 1/2" diameter	3 lbs.	811993024955
302	Tri-clamp, medium 2" to 6" diameter	9 lbs.	811993024962
303	Tri-clamp, large 5" to 12" diameter	15 lbs.	811993024979

- Designed for **easy movement** of materials around the job site.
- **Heavy duty** mesh for strength and visibility of material
- Provided with **large 6" casters**; 2 swivel locking and 2 fixed
- **Powder coated**
- **Stackable** to save space when not in use
- Fits through standard 32" doorway
- **Made in the USA**



Scan Here For Manual

Catalog Number	Description	Weight	UPC#
5090	Mobile Container Cart 60"L x 31.5"W x 42" H Capacity 1,500 lbs.	185 lbs.	811993027116

- **Lockable & Theft Resistant.** Lockable design protects tools and equipment on the jobsite.
- **Recessed Latch Mechanism.** Allows more clearance through tight spaces and doorways in finished or semi-finished spaces.
- **Built-In Power Access.** Rubberized grommet allows cord pass-through for secure charging while locked.
- **Reinforced Durability.** Strengthened door threshold ensures long-lasting performance.
- **46"L x 25"W x 33"H**
- **Made in the USA**



Scan Here For Manual

Catalog Number	Description	Weight	UPC#
276	Security Cart with Plates Capacity 550 lbs.	90 lbs.	811993027253




Model 458 Pipe Wagon




Model 2508 Yard Dog™ Pipe Hauler

- Transports up to 20' lengths of pipe
- **1000 lb. capacity**
- Large pneumatic tires **move load with ease**
- **Ergonomically designed** handle
- **Heavy duty** construction
- **Powder coated**
- **Made in the USA**



Catalog Number	Description	Weight	UPC#
458	Pipe Wagon Capacity 1,000 lbs.	92 lbs.	811993024986

- Ability for one person to **lift and transport up to 2000 lb. loads**
- **Durable wheels and tires** to handle the abuse of constant job site use
- **Variable load lengths accomodated** by sliding chain blocks
- **Cushioned grips** help ease operator fatigue
- **Powder coated**
- **Made in the USA**



Catalog Number	Description	Weight	UPC#
2508	Yard Dog Pipe Hauler 20" diameter pipe up to 20' long 2000 lbs. maximum	184 lbs.	811993024894

- **Organize and move** pipe hangers around the jobsite
- Holds 120 – 2" to 4" pipe hangers or 40 – 6" to 8" pipe hangers
- **Solid thru-bar construction**
- **Fast set up**
- Fits through standard 36" doorway
- Provided with **large 6" casters**, 2 swivel and 2 fixed
- Folds for **compact storage**
- **Stackable design** saves space when not in use
- **Made in the USA**



MODEL 5050H



Scan Here For Manual



Scan Here For Video

Catalog Number	Description	Weight	UPC#
5050H	Pipe Hanger Cart with Mesh Base Capacity 1,000 lbs. (evenly distributed)	208 lbs.	811993026669
5050HL	Pipe Hanger Cart Capacity 1,000 lbs. (evenly distributed)	198 lbs.	811993027215

- **Heavy duty wire mesh cage**, great for storage on or off the jobsite
- Door frames made of square tubing; **much sturdier than the competition**
- **Lockable doors** for added security
- **Removable steel shelves** that will also slide out for easy access to product
- **Heavy duty casters** (2 swivel, 2 fixed)
- Load capacity **1,500 lbs.**
- **Durable** powder coated finish
- **Made in the USA**



Scan Here For Manual


Catalog Number	Description	Weight	UPC#
5400	Wire Cage - Capacity 1,500 lbs.	385 lbs	811993026447

- **Dedicated storage for safety equipment**
- **Includes 24 hooks** for hanging harnesses
- **Convenient shelf** provides storage for hard hats, gloves, and other safety equipment
- **Wire mesh design** allows for air circulation
- **Secure storage** with lockable doors
- **Heavy duty casters** (2 swivel, 2 fixed)
- Durable powder-coated finish
- **Made in the USA**



Catalog Number	Description	Weight	UPC#
5472	Harness Cage 54"L x 31" W x 60.5" H Shelf capacity 225 lbs.	374 lbs.	811993027482

- **All metal** construction
- Will fit RIDGID®* 535 and 1224 threaders
- **Large 15" Heavy Duty solid tires** on all models
- Available with **tray or lockable storage box**
- Rear roller arm to help **prevent tip-over while rolling**
- **Powder coated**
- **Made in the USA**



MODEL 224W
Rolling Stand
with Tray



MODEL 235W
Rolling Stand with
Storage Box



Catalog Number	Description	Weight	UPC#
224W	Rolling Stand with tray - fits RIDGID Model #1224 535 - 2001 and newer	102 lbs.	811993024917
235W	Rolling Stand with storage box - fits RIDGID Model #1224 535 - 2001 and newer	129 lbs.	811993024931

*RIDGID® is a registered trademark of Emerson Electric, Inc.




Model 142 JP Jaw for PVC Coated Conduit



Comparison Reference

- JP Jaw Set is designed to hold **1/2"-2" PVC coated conduit**
- JP Jaw Set **helps protect PVC coating from damage**
- Made from **high-strength alloy**
- Jaws are 6" long for **firm grip**
- For use with Ridgid®* 40-A Tri-Stand Yoke Vise or Ridgid®* 22 Bench Yoke Vise
- **Made in the USA**



Scan Here For Manual

Catalog Number	Description	Weight	UPC#
142	JP Jaw Set Capacity 1/2"-2"	5 lbs.	811993025105

*RIDGID® is a registered trademark of Emerson Electric, Inc.

Description	Sumner Item #	RIDGID®** Item #	Greenlee*** Item #	Jackson Tool/Current Tools Item #	Page #
Chain Vise Stand	—	460-6	—	186	03
V-Head Pipe Stand	780375	56662	—	436	04
Jumbo Jack™ Pipe Stand	781403	—	—	636	08
Tri-Clamp Pipe Alignment Tool	781130	—	—	301	09
	781150	—	—	302	09
	781170	—	—	303	09
Mobile Container Cart	784990	—	—	5090	10
Pipe Wagon	—	—	36745	458	12
Yard Dog™ Pipe Hauler	780351	—	—	2508	13
Pipe Hanger Cart	785651	—	—	5050H	14
Piper Hanger Cart w/o Mesh	785650	—	—	5050HL	14
Wire Cage	784920	—	—	5400	15
THREADER STANDS					
Rolling Stand with tray, wide	—	150A	—	224W	17
Rolling Stand with storage box, wide	—	200A	—	235W	17

* Sumner® is a registered trademark of Southwire, Inc.
** RIDGID® is a registered trademark of Emerson Electric, Inc.
*** Greenlee® is a registered trademark of Greenlee Tools, Inc.

Jackson Tool Limited Warranty

Jackson Tool extends the following Limited Warranty to the original owner:

If the Jackson Tool equipment shall prove to be defective in materials or workmanship during the Limited Warranty period of two (2) years after the original delivery, Jackson Tool, at its option, will repair or replace the defective equipment.

The warranty on any replacement equipment supplied hereunder will be limited to the unexpired term of the original warranty. Failures due to misuse and abuse are not covered by this warranty. No other warranty, expressed or implied, applies, including merchantability or fitness for a particular purpose. No employee, agent, dealer or another person is authorized to alter this or make any other warranty on behalf of Jackson Tool.

To obtain the benefit of this warranty, deliver the complete product, prepaid, to Jackson Tool or any Jackson Tool authorized repair center.

JACKSON

SALES@CURRENTTOOLS.COM • GREENVILLE, SC 29606

877.522.8995 OR 864.721.4235

www.jacksontoolinc.com